

**References to Research Journal Articles Cited in**  
***Brain SENSE: A Guide and Workbook to Keep Your Mind and Memory Sharp***  
**by Linda Sasser, Ph.D.**  
(current as of March 28, 2019)

- Amieva, H., Ouvrard, C., Giulioni, C., Meillon, C., Rullier, L., & Dartigues, J. (October 2015). Self-reported hearing loss, hearing aids, and cognitive decline in elderly adults: A 25-year study. *Journal of the American Geriatrics Society*, (63)10, 2099–2104. DOI: 10.1111/jgs.13649
- Andersson, S., Ekman, I., Friberg, F., Bøg-Hansen, E., & Lindblad, U. (2013). The association between self-reported lack of sleep, low vitality and impaired glucose tolerance: A Swedish cross-sectional study. *BMC Public Health*.(13), 700. doi: 0.1186/1471-2458-13-700
- Arvanitakis, Z., Capuano, A.W., Lamar, M., Shah, R.C., Barnes, L.L., Bennett, D.A., & Schneider, J.A. (July 11, 2018). Late-life blood pressure association with cerebrovascular and Alzheimer disease pathology. *Neurology*. DOI: <https://doi.org/10.1212/WNL.0000000000005951>
- Atkinson, R.C., & Shiffrin, R.M. (1968). Human memory: A proposed system and its control processes. In Spence, K.W., & Spence, J.T. *The psychology of learning and motivation*, 2, 89–195. New York: Academic Press.
- Bahrick, H.P. (March 1975). Fifty years of memory for names and faces: A cross-sectional approach. *Journal of Experimental Psychology General* 104(1), 54-75.  
DOI: 10.1037/0096-3445.104.1.54
- Bahrick, H.P. (March 1984). Semantic memory content in permastore: Fifty years of memory for Spanish learned in school. *J Exp Psychol Gen*.(113)1, 1-29.
- Bains, G. S., Berk, L.S., Daher, N., Lohman, E., Schwab, E., Petrofsky, J., & Deshpande, P. (Spring 2014). The Effect of Humor on Short-term Memory in Older Adults: A New Component for Whole Person Wellness. *ADVANCES*(28)2, 16-24.
- Ball, K., Berch, D.B., Helmers, K.F., Jobe, J.B., Leveck, M.D., Marsiske, M., ... Willis, S.L. (2002). Effects of cognitive training interventions with older adults: A randomized controlled trial. *Journal of the American Medical Association*, 288(18), 2271–2281.
- Ball, K., Ross, L.A., Roth, D.L., & Edwards, J.D. (2013). Speed of processing training in the ACTIVE Study: How much is needed and who benefits? *Journal of Aging Health*, 25, 65S-84S.  
doi:10.1177/0898264312470167
- Banks, S.J., Sreenivasan, K.R., Weintraub, D.M., Baldock, D., Noback, M., Pierce, M.E., Frasnelli, J., James, J., Beall, E., Zhuang, X., Cordes, D., & Leger, G.C. (2016). Structural and functional MRI differences in master sommeliers: A pilot study on expertise in the brain. *Front. Hum. Neuroscience*(10),414. <https://doi.org/10.3389/fnhum.2016.00414>
- Belleville, S., Gilbert, B., Fontaine, F., Gagnon, L., Menard, E., & Gauthier, S. (2006). Improvement of episodic memory in persons with mild cognitive impairment and healthy older adults: Evidence from a cognitive intervention program. *Dementia and Geriatric Cognitive Disorders*, 22, 486-499.
- Beydoun, M.A., Kuczmarski, M.F., Kitner-Triolo, M.H., Beydoun, H.A., Kaufman, J.S., Mason, M.A., Evans, M.K., & Zonderman, A.B. (2015 Jan.). Dietary antioxidant intake and its association with cognitive function in an ethnically diverse sample of US adults. *Psychosom Med.*,77(1): 68–82. doi: 10.1097/PSY.000000000000129

- Blair, K.S., et al. (Mar 2007). Modulation of emotion by cognition and cognition by emotion. *NeuroImage*, 25(1), 430-40.
- Blumenthal, J.A., Smith, P.J., Mabe, S., Hinderliter, A., Lin, P., Liao, L., Welsh-Bohmer, K.A., Browndyke, J.N., Kraus, W.E., Doraiswamy, P.M., Burke, J.R., & Sherwood, A. (December 2018). Lifestyle and neurocognition in older adults with cognitive impairments: A randomized trial. *Neurology*. DOI: <https://doi.org/10.1212/WNL.0000000000006784>
- Boldrini, M., et al. (2018). Human hippocampal neurogenesis persists throughout aging, *Cell Stem Cell*, doi:10.1016/j.stem.2018.03.015
- Brown, R. & Kulik, J. (1977). Flashbulb Memories. *Cognition*, (5)1, 73–99.
- Buitenweg, J.I.V., Murre, J.M.J., & Ridderinkhof, K.R. (2012). Brain training in progress: A review of trainability in healthy seniors. *Frontiers in Human Neuroscience*, (6)183, 1-11. doi: 10.3389/fnhum.2012.00183
- Calderone, J. (February 05, 2018). Do memory supplements really work? *Consumer Reports*. <https://www.consumerreports.org/dietary-supplements/do-memory-supplements-really-work/>
- Caprio-Prevette, M. D., & Fry, P. S. (1996). Memory enhancement program for community-based older adults: Development and evaluation. *Experimental Aging Research*, 22, 281-303.
- Chambers, R., Chuen Yee Lo, B., & Allen, N.B. (2008). The impact of intensive mindfulness training on attentional control, cognitive style, and affect. *Cogn Ther Res* 32, 303–322. DOI 10.1007/s10608-007-9119-0
- Colcombe, S.J., Erickson, K.I., Scalf, P.E., Kim, J.S., Prakash, R., McAuley, E., Elavsky, S., Marquez, D.X., Hu, L., & Kramer, A.F. (1 November 2006). Aerobic exercise training increases brain volume in aging humans. *The Journals of Gerontology: Series A*, (61)11, 1166–1170. <https://doi.org/10.1093/gerona/61.11.1166>
- Craik, F.I.M., & Tulving, E. (1975). Depth of processing and the retention of words in episodic memory. *Journal of Experimental Psychology: General*, (104),3, 268-294.
- Denis, I., Potier, B., Heberden, C., & Vancassel, S. (Mar 2015). Omega-3 polyunsaturated fatty acids and brain aging. *Curr Opin Clin Nutr Metab Care* (18)2, 139-46. doi: 10.1097/MCO.000000000000141
- Deweerd, S. (14 July 2011). Activity is the best medicine. Can exercise, social interaction and the Mediterranean diet really help to keep the cognitive decline of Alzheimer's disease at bay, *Nature*, Vol 474, S17.
- Eriksson, P.S., Perfilieva, E., Björk-Eriksson, T., Alborn, A.M., Nordborg, C., Peterson, D.A., & Gage, F.H. (1998). Neurogenesis in the adult human hippocampus. *Nature Medicine*(4)11,1313-7. DOI: 10.1038/3305
- Erickson, K.I., Prakash, R.S., Voss, M. W., Chaddock, L., Hu, L., Morris, K.S., White, S.M., Wójcicki, T.R., McAuley, E., & Kramer, A.F. (2009 October). Aerobic Fitness is Associated with Hippocampal Volume in Elderly Humans. *Hippocampus* (19)10, 1030–1039. doi:10.1002/hipo.20547
- Erickson, K.I., Voss, M. W., Prakash, R. S., et al. (2011 Feb 15). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences of the United States of America*, 108(7), 3017–3022. doi:[10.1073/pnas.1015950108](https://doi.org/10.1073/pnas.1015950108)

- Fairchild, J.K., & Scogin, F.R. (2010). Training to Enhance Adult Memory (TEAM): An investigation of the effectiveness of a memory training program with older adults. *Aging & Mental Health*, 14(3), 364-373. doi:10.1080/13607860903311733
- Féart, C., Samieri, C., & Barberger-Gateau, P. (2010 Jan). Mediterranean diet and cognitive function in older adults. *Curr Opin Clin Nutr Metab Care* (13), 1, 14-8. doi: 10.1097/MCO.0b013e3283331fe4.
- Firth, J., Stubbs, B., Vancampfort, D., Schuch, F., Lagopoulos, J., Rosenbaum, S., & Ward, P.B. (1 February 2018). Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. *NeuroImage*, 166, 230-238.  
<https://doi.org/10.1016/j.neuroimage.2017.11.007>
- Gediman, C.L. (2005). *Brainfit: 10 Minutes a Day For A Sharper Mind and Memory*. Nashville: Rutledge.
- Godden, D.R., & Baddeley, A.D. (1975). Context-dependent memory in two natural environments: On land and underwater. *Br. J. Psychol.*, 66(3), 325-331.
- Gottleib, D.J., Punjabi, N.M., Newman, A.B., Resnick, H.E., Redline, S., Baldwin, C.M., & Nieto, F.J. (2005 Apr 25). Association of sleep time with diabetes mellitus and impaired glucose tolerance. *Arch Intern Med.*, 165(8):863-7.
- Grabbe, J.W. (2011). Sudoku and working memory performance for older adults. *Activities, Adaptation & Aging*, 35(3), 241-254. <http://dx.doi.org/10.1080/01924788.2011.596748>
- Greenaway, M.C., Duncan, B.S., & Smith, G.E. (2013). The Memory Support System for Mild Cognitive Impairment: Randomized trial of a cognitive rehabilitation intervention. *International Journal of Geriatric Psychiatry*, 28(4), 402-409. doi:10.1002/gps.3838.
- Gross, A. L., Parisi, J.M., Spira, A.P., Kueider, A.m., Ko, J.Y., Saczynski, J.S., ...Rebok, G.W. (2012). Memory training interventions for older adults: A meta-analysis. *Aging Mental Health*, 16(6), 722–734. doi:10.1080/13607863.2012.667783.
- Gross, A.L., & Rebok, G. W. (2011 September). Memory training and strategy use in older adults: Results from the ACTIVE study. *Psychology of Aging*, 26(3), 503–517.
- Hagerty, J. (November 2016). *2016 AARP Member Opinion Survey*. Washington, DC: AARP Research,. <https://doi.org/10.26419/res.00136.001>
- Henig, R. M. (May 14, 2015). The Last Day of Her Life, *The New York Times Magazine*, [http://www.nytimes.com/2015/05/17/magazine/the-last-day-of-her-life.html?\\_r=0](http://www.nytimes.com/2015/05/17/magazine/the-last-day-of-her-life.html?_r=0)
- Hertzog, C., Kramer, A.F., Wilson, R. S., & Lindenberger, U. (2009). Enrichment effects on adult cognitive development: Can the functional capacity of older adults be preserved and enhanced? *Psychological Science in the Public Interest*, 9, 1-65.
- James, B.D., Wilson, R.S., Barnes, L.L., & Bennett, D.A. (2011). Late-life social activity and cognitive decline in old age. *Journal of the International Neuropsychological Society*, 17(6), 998-1005.
- James, B.D., Boyle, P.A., Buchman, A.S., Barnes, L.L., & Bennett, D.A. (2011 Nov). Life Space and Risk of Alzheimer Disease, Mild Cognitive Impairment, and Cognitive Decline in Old Age. *American Journal of Geriatric Psychiatry*, 19(11), 961-969. doi: 10.1097/JGP.0b013e318211c219
- Kang, J.H., et al. (2005). Fruit and vegetable consumption and cognitive decline in aging women. *Annals Neurology*. 2005 57:713–720.

- Karr, J.E., Alexander, J.E., & Winningham, R.G. (2011). Omega-3 polyunsaturated fatty acids and cognition throughout the lifespan: A review. *Nutritional Neuroscience*, 14(5), 216-225.
- Kelly, M.E., Loughrey, D., Lawlor, B.A., Robertson, I.H., Walsh, C., & Brennan, S. (2014). The impact of cognitive training and mental stimulation on cognitive and everyday functioning of health older adults: A systematic review and meta-analysis. *Ageing Research Reviews*(15), 28-43.
- Kensinger, E.A. (2009). Cognition in aging and age-related disease. *Encyclopedia of Neuroscience*, 1055-1061. <https://doi.org/10.1016/B978-0-12-809324-5.01920-9>
- Kivipelto, M., Solomon A., Ahtiluoto, S., Ngandu, T., Lehtisalo, J., Antikainen, R., Bäckman, L., Hänninen T, Jula A, Laatikainen T, Lindström J, Mangialasche F, Nissinen A, Paajanen T, Pajala S., Peltonen. M., Rauramaa, R., Stigsdotter-Neely, A., Strandberg, T., Tuomilehto, J., & Soininen, H. (2013 Nov). The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER): Study design and progress. (2013 Jan ). *Alzheimers Dement*(9)6, 657-65. doi: 10.1016/j.jalz.2012.09.012
- Kramer, A.F., & Erickson, K.I. (2007). Capitalizing on cortical plasticity: Influence of physical activity on cognition and brain function. *Trends in Cognitive Sciences*, 11(8), 342-348.
- Kramer, A.F., Erickson, K.K., & Colcombe, S.J. (2006). Exercise, cognition, and the aging brain. *Journal of Applied Physiology*, 1, 237-42.
- Kröger, E., Andel, R., Lindsay, J., Benounissa, Z., Verreault, R., & Laurin, D. (2008 Apr 1). Is complexity of work associated with risk of dementia? The Canadian Study of Health and Aging. *Am J Epidemiol.*(167), 7, 820-30. doi: 10.1093/aje/kwm382. Epub 2008 Feb 7.
- Krueger, K.R., Wilson, R.S., Kamenetsky, J.M., Barnes, L.L., Bienias, J.L., & Bennett, D.A. (2009). Social Engagement and Cognitive Function in Old Age. *Experimental Aging Res.*(35)1, 45–60. doi:10.1080/03610730802545028
- La Rue, A. (2010). Healthy brain aging: Role of cognitive reserve, cognitive stimulation and cognitive exercises. In A. K. Desai (Ed.), The healthy aging brain: Evidence based methods to preserve brain function and prevent dementia. *Clinics in Geriatric Medicine*, 26, 99–111.
- Leng, Y., McEvoy, C.T., Allen, I.E., et al. (October 2017). Association of Sleep-Disordered Breathing with Cognitive Function and Risk of Cognitive Impairment: A Systematic Review and Meta-analysis. *JAMA Neurology*, 74(10), 1237-1245. doi:10.1001/jamaneurol.2017.2180
- Lin, F.R., Metter, E.J., O'Brien, R.J., Resnick, S.M., Zonderman, A.B., Ferrucci, L. (2011 February). Hearing Loss and Incident Dementia. *Arch Neurol.*, 68(2), 214–220. doi: 10.1001/archneurol.2010.362
- Lin, F.R., Yaffe, K. Xia, J. Xue, Q., Harris, T.B., Purchase-Helzner, E., Satterfield, S., Ayonayon, H.N., Ferrucci, L., Simonsick, E.M., and for the Health ABC Study. (2013 February 25). Hearing Loss and Cognitive Decline Among Older Adults. *JAMA Intern Med.*,173(4). doi:10.1001/jamainternmed.2013.1868
- Lindzey, G., & Runyan, W.M. (Eds.) (2007). *A history of psychology in autobiography*, Vol 9, 269-301. Washington, DC: American Psychological Association.
- Lo, J.C., Loh, K.K., Zheng, H., Sim, S.K., & Chee, M.W. (2014). Sleep duration and age-related changes in brain structure and cognitive performance. *Sleep*(37)7, 1171-1178.
- Lourida I1, Soni M, Thompson-Coon J, Purandare N, Lang IA, Ukoumunne OC, Llewellyn DJ. (2013 Jul). Mediterranean diet, cognitive function, and dementia: A systematic review. *Epidemiology*. 2013 Jul;24(4):479-89. doi: 10.1097/EDE.0b013e3182944410

- Lundgaard, I., Wang, W., Eberhardt, A., Vinitsky, H.S., Reeves, B.C., Peng, S., Lou, N., Hussain, R., & Nedergaard, M. (2018). Beneficial effects of low alcohol exposure, but adverse effects of high alcohol intake on glymphatic function. *Scientific Reports*(8)1. DOI: 10.1038/s41598-018-20424-y
- McDougall, G.J. Jr. (2009). A framework for cognitive interventions targeting everyday memory performance and memory self-efficacy. *Family and Community Health*, 32(1 Suppl), S15–S26. doi:10.1097/FCH.0000342836.20854.fb
- Macey, P.M., Sarma, M.K., Nagarajan, R., Aysola, R., Siegel, J.M., Harper, R.M., & Thomas, M.A. (04 February 2016). Obstructive sleep apnea is associated with low GABA and high glutamate in the insular cortex. *Journal of Sleep Research*. doi.org/10.1111/jsr.12392
- Maguire, E.A., Gadian, D.G., Johnsrude, I.S., Good, C.D., Ashburner, J., Frackowiak, R.S., & Frith, C.D. (2000, April 11). Navigation-related structural change in the hippocampi of taxi drivers. *Proc Natl Acad Sci USA*, 97(8):4398-403. DOI: 10.1073/pnas.070039597
- Maguire, E.A., Woollett, K., & Spiers, H.J. (2006). London taxi drivers and bus drivers: A structural MRI and neuropsychological analysis. *Hippocampus*(16)12, 1091-101. DOI: 10.1002/hipo.20233
- Maher, A.C., et al. (2017 Oct 23). Psychological well-being in elderly adults with extraordinary episodic memory. *PLoS One*.(12)10, e0186413.
- Malhotra, R.K., & Desai, A.K. (2010 Feb). Healthy brain aging: what has sleep got to do with it? *Clin Geriatr Med.*, 26(1):45-56. doi: 10.1016/j.cger.2009.11.001
- Martínez-Lapiscina, E.H., Clavero, P., Toledo, E., Estruch, R., Salas-Salvadó, J., San Julián, B., Sanchez-Tainta, A., Ros, E., Valls-Pedret, C., & Martinez-Gonzalez M.Á. (2013 Dec). Mediterranean diet improves cognition: The PREDIMED-NAVARRA randomised trial. *J Neurol Neurosurg Psychiatry*(84)12, 1318-25. doi: 10.1136/jnnp-2012-304792. Epub 2013 May 13.
- Miller, M.A., Wright, H., Ji, C., & Cappuccio, F.P. (2014). Cross-sectional study of sleep quantity and quality and amnestic and non-amnestic cognitive function in an ageing population: The English Longitudinal Study of Ageing (ELSA). *PLoS ONE*,(9)6. DOI:10.1371/journal.pone.0100991
- Morris, M.C., et al. (2006). Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology*, 67, 1370–1376.
- Morris, M.C., Tangney, C.C., Wang, Y., Sacks, F.M., Bennett, D.A.,& Aggarwal, N.T. (2015a, September). MIND Diet Associated with Reduced Incidence of Alzheimer's Disease. *Alzheimers Dement*, 11(9), 1007–1014. Published online 2015 Feb 11. doi: 10.1016/j.jalz.2014.11.009
- Morris, M.C., Tangney, C.C., Wang, Y., Sacks, F.M., Barnes, L.L., Bennett, D.A., Aggarwal, N.T. (2015b, September). MIND diet slows cognitive decline with aging. *Alzheimers Dement*,11(9), 1015-1022. doi: 10.1016/j.jalz.2015.04.011. Epub 2015 Jun 15.
- Morris, M.C., Wang, Y., Barnes, L.L., Bennett, D.A., Dawson-Hughes, B., & Booth, S.L. (2018 Jan 16). Nutrients and bioactives in green leafy vegetables and cognitive decline: Prospective study. *Neurology*(90)3, e214-e222. doi: 10.1212/WNL.0000000000004815. Epub 2017 Dec 20.
- Neisser, U. (1981). John Dean's memory: A case study. *Cognition*(9), 102-115.
- Nehlig A. (April 2016). Effects of coffee/caffeine on brain health and disease: What should I tell my patients? *Pract Neurol*. (2), 89-95. doi: 10.1136/practneurol-2015-001162.

- Ngandu, T., Lehtisalo, J., Solomon, A., Levälahti, E., Ahtiluoto, S., Antikainen, R., Bäckman, L., Hänninen, T., Jula, A., Laatikainen, T., Lindström, J., Mangialasche, F., Paajanen, T., Pajala, S., Peltonen, M., Rauramaa, R., Stigsdotter-Neely, A., Strandberg, T., Tuomilehto, J., Soininen, H., & Kivipelto, M. (2015 Jun 6). A 2-year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): A randomised controlled trial. *Lancet*, 385(9984):2255-63. doi: 10.1016/S0140-6736(15)60461-5. Epub 2015 Mar 12.
- Nunes, A., & Kramer A.F. (2009 Mar). Experience-based mitigation of age-related performance declines: evidence from air traffic control. *J Exp Psychol Appl.*, 15(1), 12-24. doi: 10.1037/a0014947.
- Olchik M.R., Farina J., Steibel, N., Teixeira, A.R., & Yassuda, M.S. Memory training (MT) in mild cognitive impairment (MCI) generates change in cognitive performance. *Archives of Gerontology and Geriatrics*, 56(3), 442-7.
- Osorio, R., Gumb, T., Pirraglia, E., Varga, A.W., Lu, S., Lim, J., Wohlleber, M.E., Ducca, E.L., Koushyk, V., Glodzik, L., Mosconi, L., Ayappa, I., Rapoport, D.M., & De Leon, M.J. (April 2015). Sleep-disordered breathing advances cognitive decline in the elderly. *Neurology*. DOI: 10.1212/WNL.0000000000001566
- Petersson SD1, Philippou E2. (2016 Sep 15). Mediterranean Diet, Cognitive Function, and Dementia: A Systematic Review of the Evidence. *Adv Nutr.* 7(5):889-904. doi: 10.3945/an.116.012138. Print 2016 Sep.
- Pross N. (2017). Effects of Dehydration on Brain Functioning: A Life-Span Perspective. *Annals of Nutrition and Metabolism*(70),(suppl 1), 30-36. doi.org/10.1159/000463060
- Rapp, S., Brenes, G., & Marsh, A.P. (2002). Memory enhancement training for older adults with mild cognitive impairment: A preliminary study. *Aging & Mental Health*, 6(1), 5-11. doi: 10.1080/13607860120101077
- Rebok, G.W., et al. (2014). Ten-Year Effects of the Advanced Cognitive Training for Independent and Vital Elderly Cognitive Training Trial on Cognition and Everyday Functioning in Older Adults. *Journal of the American Geriatrics Society*. DOI: 10.1111/jgs.12607. [http://onlinelibrary.wiley.com/journal/10.1111/\(ISSN\)1532-5415](http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1532-5415).
- Ristau, S. (2011). People do need people: Social interaction boosts brain health in older age. *Generations*, 35(2), 70-76.
- Salthouse, T.A. (2000). Aging and measures of processing speed. *Biological Psychology*(54), 35–54.
- Schwarzinger, M., Pollock, B.G., Hasan, O.S.M., Dufouil, C., & Rehm, J. (February 20, 2018). Contribution of alcohol use disorders to the burden of dementia in France 2008–13: A nationwide retrospective cohort study. Open AccessPublished: DOI: 10.3233/JAD-170586
- Siddarth, P., et al. (2018). Physical activity and hippocampal sub-region structure in older adults with memory complaints. *Journal of Alzheimer's Disease*(61), 1089–1096. DOI 10.3233/JAD-170586
- Simons, D.J., & Chabris, C.F. (2011). What People Believe about How Memory Works: A Representative Survey of the U.S. Population. *PLoS One*. 2011; 6(8): e22757. Published online 2011 Aug 3. doi: 10.1371/journal.pone.0022757

- Smart, E.L., Gow, A.j., & Deary, I.J. (December 09, 2014). Occupational complexity and lifetime cognitive abilities. *Neurology*(83)24, 2285-91. doi: 10.1212/WNL.0000000000001075. Epub 2014 Nov 19.
- Sorrells, S.F., et al. (2018). Human hippocampal neurogenesis drops sharply in children to undetectable levels in adults. *Nature* 555, 377–381.
- Sprecher, K.E., Kosik, R.L., Carlsson, C.M., Zetterberg, H., Blennow, K., Okwonko, O.C., Sager, M.A., Asthana, S., Johnson, S.C., Benca, R.M., Bendlin, B.B. (2017). Poor sleep is associated with CSF biomarkers of amyloid pathology in cognitive normal adults. *Neurology*, 89, 445-453.
- Stern Y. (2009). Cognitive reserve. *Neuropsychologia*, 47(10), 2015–2028.  
doi:10.1016/j.neuropsychologia.2009.03.004
- Stern, Y. (2012). Cognitive reserve in ageing and Alzheimer's disease. *The Lancet Neurology*. November 11(11), 1006–1012. doi:10.1016/S1474-4422(12)70191-6.
- Sun, S.W., Stepanovic, M.R., Andreano, J., Barrett, L.F., Touroutoglou, A., & Dickerson, B.C. (14 September 2016). Youthful Brains in Older Adults: Preserved Neuroanatomy in the Default Mode and Salience Networks Contributes to Youthful Memory in Superaging. *Journal of Neuroscience*, 36 (37), 9659-9668. DOI: <https://doi.org/10.1523/JNEUROSCI.1492-16.2016>
- Tucker, A.M., & Stern, Y. (2011). Cognitive Reserve in Aging, *Curr Alzheimer Res*, 8(4), 354–360.
- Tully, K. & Bolshakov, V.Y. (2010). Emotional enhancement of memory: how norepinephrine enables synaptic plasticity. *Mol Brain*(3), 15. Published online 2010 May 13. doi: 10.1186/1756-6606-3-15
- Turner, J. (2011). Your brain on food: A nutrient-rich diet can protect cognitive health. *Generations*, 35(2), 99-106.
- U.S. Department of Transportation. [https://www.nhtsa.gov/risky-driving/distracted-driving;  
https://www.nhtsa.gov/sites/nhtsa.dot.gov/files/documents/driver\\_electronic\\_device\\_use\\_in\\_2015\\_0.pdf](https://www.nhtsa.gov/risky-driving/distracted-driving; https://www.nhtsa.gov/sites/nhtsa.dot.gov/files/documents/driver_electronic_device_use_in_2015_0.pdf)
- Wager, T.D., et al. (Sept 2008). Prefrontal-subcortical pathways mediating successful emotional regulation, *Neuron*, 59(66), 1037-50.
- Wake Forest University Baptist Medical Center. (2007, June 17). Attention Training May Help Older Adults Improve Concentration. *ScienceDaily*. Retrieved September 11, 2018 from [www.sciencedaily.com/releases/2007/06/070614151802.htm](http://www.sciencedaily.com/releases/2007/06/070614151802.htm).
- Weinstein, A.M., & Erickson, K.I. (2011). Healthy body equals healthy mind. *Generations*, 35(2), 92-98.
- Wennberg, A.M.V., Wu, M.N., Rosenberg, P.B., & Spira, A.P. (2017). Sleep disturbance, cognitive decline, and dementia: A review. *Semin. Neurol.* 27(4), 395-406. doi: 10-1055/s-0037-1604351.
- Whiteman, H. (2013, October 22). Lack of sleep may increase Alzheimer's risk. *Medical News Today*. Retrieved from <http://www.medicalnewstoday.com/articles/267710.php>.
- Wilcox, S., Sharkey, J.R., Mathews, A.E., Laditka, J.N., Laditka, S.B., Logsdon, R.G., ... Liu, R. (2009) Perceptions and beliefs about the role of physical activity and nutrition on brain health in older adults. *The Gerontologist*, 49(S1), S61-S71. doi: 10:1093/geront/gnp078
- Williams, K., & Kemper, S. (2010). Exploring interventions to reduce cognitive decline in aging. *Journal of Psychosoc Nurs Ment Health Serv*. May 48(5), 42-51.
- Willis, S. L., & Caskie, G. I. L. (2013). Reasoning training in the ACTIVE Study: How much is needed and who benefits? *Journal of Aging and Health*, 25(8), 43S-64S.

- Wilson, R.S. (2011). Mental simulation and brain health: Complex, challenging activities can support cognitive health in older adults. *Generations*, 35(2), 58-62.
- Wilson, R., Mendes de Leon, C.F., Barnes, L.L., Schneider, J.A., Bienias, J.L., Evans, D.A., & Bennett, D.A. (2002). Participation in cognitively stimulating activities and risk of incident Alzheimer's disease. *Journal of the American Medical Association*, 287(6), 742-748.
- Wilson, R.S., Aggarwal, N.T., Branes, L. L., et al. (2010). Cognitive decline in incident alzheimer disease in a community population, *Neurology*, (74), 951-955.
- Woollett, K, & Maguire, E.A. (2011). Acquiring "The Knowledge" of London's Layout Drives Structural Brain Changes. *Current Biology*, 21(24), 2109-14.
- Yaffe, K. (February 2018). Modifiable risk factors and prevention of dementia: What is the latest evidence? *JAMA Intern Med.*, 178(2), 281-282. doi:10.1001/jamainternmed.2017.7299
- Zamroziewicz, M.K., Paul, E.J., Zwilling, C.E., & Barbey, A.K. (2017). Determinants of fluid intelligence in healthy aging: Omega-3 polyunsaturated fatty acid status and frontoparietal cortex structure. *Nutritional Neuroscience*(1). DOI: 10.1080/1028415X.2017.1324357